

U.S Department of Labor
MATERIAL SAFETY DATA SHEET

SECTION I

Manufacturer's Name: CHEMENCE, INC
Address: 185 BLUEGRASS VALLEY PKWY, ALPHARETTA, GA 30005

Emergency Telephone Number:
CHEMTREC: 1-800-424-9300
INTERNATIONAL: 703-527-3887

Chemical Name and Synonyms: HEPTANE & AMINE BLEND

Trade Name and Synonyms: RiteLok AC 11, Sonic
Bond Accelerator AC03

Chemical Family: MIXTURE

Formula: N/A

Flammability: SERIOUS (3) Health: MODERATE (2) Reactivity: MINIMAL (0)

SECTION II-HAZARDOUS INGREDIENTS

Hazardous Mixtures of Other Liquids, Solids, or Gases

Listed as a carcinogen

	CAS NO	%	IARC, NTP, OSHA
HEPTANE	142-82-5	> 90	NO NO NO
N,N-DIALKYL TOLUIDINE	99-97-8	< 1	NO NO NO

SECTION II-PHYSICAL DATA

Boiling Point: (degrees F) 208°F
Vapor Pressure: (mmHg) 40 mm @ 68°F
Vapor Density: (Air=1) 3.5 g/l
Solubility in Water: IMMISCIBLE
Appearance: WATER THIN, VERY LOW VISCOSITY

Specific Gravity: >0.684 @ 77°F (H2O = 1)
Percent Volatile, by Volume: 100%
Evaporation Rate: HIGH
Color: WATER CLEAR
Odor: LIGHT HYDROCARBON ODOR

SECTION IV-FIRE AND EXPLOSION HAZARD DATA

Flash Point: 14°F (method used-T.C.C.) Flammable Limits: LEL: 1.1% UEL: 7%

Extinguishing Media: CO2, FOAM, DRY CHEMICAL

Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING GEAR & PROTECTIVE CLOTHING.

Unusual Fire and Explosion Hazards: DIRECT WATER JET WILL SPREAD BURNING MATERIAL. COMBUSTION PRODUCTS ARE VERY TOXIC & HIGHLY IRRITATING. COOL SEALED DRUMS WITH WATER SPRAY TO LESSEN CHANCE OF RUPTURE. CONTAINER EXPLOSION CAN OCCUR, VAPOR FORMS EXPLOSIVE MIXTURE IN AIR.

SECTION V-HEALTH HAZARD DATA

Threshold Limit Value: SHORT TERM 500-PPM, TWA 400PPM

Effects of Overexposure: INGESTION-IF SIGNIFICANT QUANTITY INGESTED, MAY DULL SENSES (ORAL LD50 > 5000 Mg/Kg). INHALATION-MAY CAUSE NAUSEA, HEADACHE, DIZZINESS AND IRRITATION OF RESPIRATORY TRACT. SKIN AND EYES-IRRITATION ON CONTACT. (Est. DERMAL LD50 > 2000 Mg/Kg).

Emergency and First Aid Procedures: INGESTION-DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION-REMOVE TO FRESH AIR (OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED) OBTAIN MEDICAL ATTENTION (NOTE TO PHYSICIAN: USE OF EPINEPHRINE IS CONTRA-INDICATED). SKIN-WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE REUSE. EYES-FLUSH EYES IMMEDIATELY WITH WATER A MINIMUM OF 15 MINUTES. IF IRRITATION PERSISTS CONTACT A PHYSICIAN.

SECTION VI-REACTIVITY DATA

Stability: STABLE.

Incompatibility (Materials to avoid): STRONG OXIDIZERS, SOURCES OF IGNITION

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE.

Hazardous Polymerization: WILL NOT OCCUR.

SECTION VII-SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: EXTREMELY FLAMMABLE. KEEP ALL SOURCES OF IGNITION AND HOT METAL SURFACES AWAY FROM SPILL. PREVENT MATERIAL FROM ENTERING SEWERS OR NATURAL WATERWAYS. PERMIT ONLY PROPERLY PROTECTED WORKERS WITH SKIN & EYE PROTECTION AND SELF CONTAINED BREATHING GEAR. ABSORB SMALL SPILLS WITH ABSORBENT MATERIAL, PUMP LARGE SPILLS INTO SALVAGE TANKS.

Waste disposal method: RCRA HAZARDOUS WASTE. INCINERATE IN ACCORDANCE WITH EPA AND LOCAL REGULATIONS.

SECTION VIII-SPECIAL PROTECTION INFORMATION

Respiratory protection (type): ABOVE TLV. NIOSH/MESSA APPROVED RESPIRATOR.

Ventilation: LOCAL EXHAUST RECOMMENDED.

Protective Gloves: RESISTANT PLASTIC OR RUBBER.

Eye Protection: CHEMICAL SPLASH GOGGLES RECOMMENDED.

Other protective equipment: PROTECTIVE PLASTIC OR RUBBER APRON.

SECTION IX-SPECIAL PRECAUTIONS

Precautions to be taken in handling and storage: STORE IN A COOL DRY PLACE.

Other precautions: KEEP AWAY FROM EXCESSIVE HEAT & FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE, KEEP WELL VENTILATED. AVOID CONTACT WITH EYES, AVOID VAPOR. KEEP AWAY FROM CHILDREN.

SECTION X-TRANSPORTATION

Dot (49 CFR 172)

Proper Shipping Name: Heptane Solution

Hazard Classification: 3

UN#: 1206

Packaging Group: II

Hazard Label Required: Flammable Liquid

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

REVISED 04/13/2010

MSDS AC11

Last printed 04/13/2010